


## Singulate sausage chains and load sausages into flowpacker

- High speed, on average 80 pcs/minute
- Cut sausage chains
- Reliable mechanical process
- Compact machine, small footprint





## INPUT

Whole stick one by one on loading area of machine.

## OUTPUT

Single sausages one by one on signal from the flowpacker

## Application

The Singulator separates sausage chains and loads them into a flowpacker. The standard machine can handle sausage calibers from 30 to 70 mm diameter and length from 160 to 325 mm. Output of the S600L is directly in packaging machine.






## Advantages

- High speed, on average 80 pcs/minute
- Automatic loading of products into the packaging machine
- Cuts centered between two clips
- Easy adjustable to sausage length
- Reliable mechanical process
- Open hygienic construction
- Easy to clean, high pressure allowed
- Open hygienic construction
- Double enclosed electrical cabinet
- Low maintenance costs
- No lubrication required
- Minimal wear parts
- Logical product flow
- Compact machine, small footprint
- Quality components from: SEW, Festo, Beckhoff a.o.

## Function and operation

The sausages are placed on the infeed area of the machine with a whole stick at a time. The ropes are then cut of manual. From the infeed area the sausagechains are picked up by the main conveyor. The conveyor angle and flights pitch distance only allows one sausage in each pocket. The conveyor moves the sausagechains past a stationary knife centered between the two clips. Above the flowpacker the sausages are transported underneath the conveyor. On pulse the sausages are dropped into flowpacker.





### Technical Data

Width	: 850 mm
Length	: 1750 mm
Weight	: approx. 245 kg
Output Height	: 850 (+200) mm
Input Height	: ~ Output height
Sausage diameter	: 30 - 75 mm
Sausage length	: 160 - 325 mm
Power input	: 0.37 kW
Compressed air	: N/A
Air consumption	: N/A

Giecon develops sausage declipping & loading systems for thermoformer and flowpacker. With over 15 years experience we can rightfully call ourselves specialist in sausage declipping and loading. Our machines distinguish themselves by a logical product flow and straightforward design. We offer the flexibility to design and produce custom made solutions to suit your needs as best as possible.



Visiting address: Loodsstraat 9  
7553 ED Hengelo  
Postall address: Bernardstraat 49  
7553 KS Hengelo  
The Netherlands

+31 74 7114326  
+31 74 7114327  
info@giecon.nl  
www.giecon.nl